

Question # 5 of 30 (Start time: 02:39:28 AM, 11 July 2020)

Total Marks: 1

Standard Deviation divided by mean is known as:

SubScirbe my Channel for more vidoes on virtual inter
and matric Student

Select the correct option

☐	Co-efficient of standard deviation	
☒	Co-efficient of variation	Solved by Ahsan Mughal Email:ahsanali605@gmail.com www.youtube.com/thefutureacademy
☐	Both	
☐	None	

Click to Save Answer & Move to Next Question

Question # 7 of 30 (Start time: 02:41:14 AM, 11 July 2020)

Total Marks: 1

5C5 equals to:

SubScirbe my Channel for more vidoes on virtual inter and matric Student

Select the correct option

- | | | |
|----------------------------------|----|---|
| ☐ | 5 | |
| ☒ | 1 | Solved by Ahsan Mughal
Email:ahsanali605@gmail.com
www.youtube.com/thefutureacademy |
| ☐ | 10 | |
| ☐ | 25 | |

Click to Save Answer & Move to Next Question

Question # 11 of 30 (Start time: 02:46:25 AM, 11 July 2020)

Total Marks: 1

Which of the measure of dispersion is used to compare variation between two series?

Select the correct option

☒	C.V.	Solved by Ahsan Mughal Email:ahsanali605@gmail.com www.youtube.com/thefutureacademy	/
☐	Q.D.		/
☐	M.D.		/
☐	S.D.		/

Click to Save Answer & Move to Next Question

Question # 16 of 30 (Start time: 02:53:29 AM, 11 July 2020)

Total Marks: 1

If $Y=3X+5$, then S.D of Y is equal to

SubScirbe my Channel for more vidoes on virtual inter
and matric Student

Select the correct option

☐	9 s.d(x)	
☐	3 s.d(x)	
☐	s.d(x)+5	
☒	3s.d(x)+5	Solved by Ahsan Mughal Email:ahsanali605@gmail.com www.youtube.com/thefutureacademy

Click to Save Answer & Move to Next Question

Question # 18 of 30 (Start time: 02:55:50 AM, 11 July 2020)

Total Marks: 1

Which of the following technique is not used to represent the bivariate qualitative data?

SubScirbe my Channel for more vidoes on
virtual inter and matric Student

Select the correct option

☐	Component Bar Chart	
☐	Multiple Bar Chart	
☒	Line Chart	Solved by Ahsan Mughal Email:ahsanali605@gmail.com www.youtube.com/thefutureacademy
☐	Pie Chart	

Click to Save Answer & Move to Next Question

Question # 20 of 30 (Start time: 02:57:49 AM, 11 July 2020)

Total Marks: 1

When a frequency distribution involves "open-end" classes, then which average is appropriate?

Select the correct option

☐	Mean	
☐	Mode	
☒	Median	Solved by Ahsan Mughal Email:ahsanali605@gmail.com www.youtube.com/thefutureacademy
☐	None of these	

Click to Save Answer & Move to Next Question

Question # 21 of 30 (Start time: 02:58:20 AM, 11 July 2020)

Total Marks: 1

Which scale will you use to measure the temperature?

Select the correct option

- | | | |
|----------------------------------|----------------|---|
| ☐ | Nominal scale | |
| ☒ | Interval scale | Solved by Ahsan Mughal
Email:ahsanali605@gmail.com
www.youtube.com/thefutureacademy |
| ☐ | Ratio scale | |
| ☐ | Ordinal scale | |

Click to Save Answer & Move to Next Question

Question # 23 of 30 (Start time: 03:00:22 AM, 11 July 2020)

Total Marks: 1

Harmonic mean is extremely useful in averaging _____ types of data.

Select the correct option

☒	Ratios	/
☐	Rates	/
☐	Both ratios and rates	/
☐	None of the above	/

Click to Save Answer & Move to Next Question

Question # 25 of 30 (Start time: 03:02:02 AM, 11 July 2020)

Total Marks: 1

According to Empirical rule, approximately how much values will fall within (Mean-3S.D, Mean+3S.D)?

Select the correct option

- | | | |
|----------------------------------|------|---|
| ☒ | 100% | / |
| ☐ | 95% | / |
| ☐ | 75% | / |
| ☐ | 68% | / |

Click to Save Answer & Move to Next Question

Question # 26 of 30 (Start time: 03:02:50 AM, 11 July 2020)

Total Marks: 1

What is probability of drawing two clubs from a well shuffled pack of 52 cards?

Select the correct option

☐	13/51	
☒	1/17	
☐	1/26	
☐	13/17	

Click to Save Answer & Move to Next Question

Question # 30 of 30 (Start time: 03:06:37 AM, 11 July 2020) Total Marks: 1

Which pair of measure cannot be calculated when one of numbers in the series is zero?

Select the correct option

- | | | |
|----------------------------------|---------------|---|
| ☐ | G.M. and A.M. | / |
| ☐ | H.M. and A.M. | / |
| ☒ | G.M. and H.M. | / |
| ☐ | None of these | / |

Click to Save Answer & Move to Next Question

Question # 30 of 30 (Start time: 03:06:37 AM, 11 July 2020)

Total Marks: 1

Which pair of measure cannot be calculated when one of numbers in the series is zero?

Select the correct option

- | | | |
|----------------------------------|---------------|---|
| ☐ | G.M. and A.M. | |
| ☐ | H.M. and A.M. | |
| ☒ | G.M. and H.M. | Solved by Ahsan Mughal
Email:ahsanali605@gmail.com
www.youtube.com/thefutureacademy |
| ☐ | None of these | |

Click to Save Answer & Move to Next Question