

Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you **CS403,CS403P quiz 3 2023 Important Finalterm MCQs. Must Prepare Before Finalterm Exams.** Verify Answers yourself too. If you found mistake then inform me.

If you found mistake then let us know.

You can contact us on WhatsApp <https://wa.me/+923421718143>

Or You can send us gmail: Learning4help@gmail.com

Facebook page is <https://m.facebook.com/WAQASQURESHI34555/>

For more educational stuff keep visiting

<https://learning4help.com>



Subscribe to my Channel:

https://www.youtube.com/channel/UC_CGyvvKgSGACQHPuq-951Q

VIRTUAL UNIVERSITY OF PAKISTAN

SERVICES:

- Assignments
- Quizzes
- GDBs
- LMS Handling
- Projects Making
- projects preparation
- online Tuition

We always do our best in serving our students and give them satisfied impressions.



**LEARN4
HELP**



CALL US NOW!



0342-1718143



www.learning4help.com

Question # 15 of 15 (Start time: 11:39:49 PM, 04 February 2023) Total Marks: 1

Which of the following is the correct syntax for creating a database table?

Select the correct option

☐ CREATE TABLE

☒ CREATE TABLE name;

☐ CREATE MYSQL TABLE name;

☐ TABLE name CREATE;

Click to Save Answer & Move to Next Question

Question # 14 of 15 (Start time: 11:39:18 PM, 04 February 2023) Total Marks: 1

_____ in SQL table is used to uniquely identify individual rows of a given table.

Select the correct option

☒ Primary key column

☐ NOT NULL constraints

☐ Foreign key column

☐ Secondary key column

Click to Save Answer & Move to Next Question

Question # 13 of 15 (Start time: 11:37:45 PM, 04 February 2023) Total Marks: 1

Which of the following statement is true about the distinct keyword?

Select the correct option

☐ Remove duplicate columns

☐ Remove duplicate values

☒ Used with DDL commands

☐ Remove duplicate key values

[Click to Save Answer & Move to Next Question](#)

Question # 12 of 15 (Start time: 11:37:22 PM, 04 February 2023) Total Marks: 1

Wild card character is used with _____ operator.

Select the correct option

☐ Binary

☐ NULL

☒ Like

☐ NOT NULL

[Click to Save Answer & Move to Next Question](#)

Question # 13 of 15 (Start time: 11:32:29 PM, 01 February 2023) Total Marks: 1

Which of the following statement is true about the distinct keyword?

Select the correct option

[Reload Math Equations](#)

- ☐ Remove duplicate values
- ☐ Remove duplicate key values
- ☒ Used with DDL commands
- ☐ Remove duplicate columns

[Click to Save Answer & Move to Next Question](#)

Question # 12 of 15 (Start time: 11:32:06 PM, 01 February 2023) Total Marks: 1

_____ is not a DML command.

Select the correct option

[Reload Math Equations](#)

- ☐ UPDATE
- ☒ CREATE
- ☐ SELECT
- ☐ INSERT

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 15 (Start time: 11:27:36 PM, 01 February 2023) Total Marks: 1

Which of the following command is used to insert data into tables?

Select the correct option

☐ DQL

☒ DML

☐ DDL

☐ DDL

Click to Save Answer & Move to Next Question

Question # 8 of 15 (Start time: 11:27:11 PM, 01 February 2023) Total Marks: 1

_____ SQL statement is used to enter values into columns.

Select the correct option

☐ ENTER INTO

☐ INSERT TO

☐ PUT INTO

☒ INSERT INTO

Click to Save Answer & Move to Next Question

Question # 7 of 15 (Start time: 11:26:38 PM, 01 February 2023) Total Marks: 1

_____ in SQL table is used to uniquely identify individual rows of a given table

Select the correct option

☐ Secondary key column

☐ NOT NULL constraints

☒ Primary key column

☐ Foreign key column

Click to Save Answer & Move to Next Question

Question # 6 of 15 (Start time: 11:26:03 PM, 01 February 2023) Total Marks: 1

Which of the following is NOT related to the basic SELECT statement?

Select the correct option

☒ NOT NULL

☐ FROM

☐ WHERE

☐ SELECT

Click to Save Answer & Move to Next Question

Menu

Menu

Question # 15 of 15 (Start time: 11:15:43 PM, 01 February 2023)

Total Marks: 1

Which of the following is NOT related to data manipulation language?

Select the correct option

Reload Math Equations

- ☒ Control access to the information
- ☐ Retrieval of information
- ☐ Insertion of information
- ☐ Modification to the information

Click to Save Answer & Move to Next Question

Question # 14 of 15 (Start time: 11:15:24 PM, 01 February 2023)

Total Marks: 1

The maximum length for an identifier can be _____.

Select the correct option

Reload Math Equations

- ☐ 512 characters
- ☐ 192 characters
- ☒ 256 characters
- ☐ 128 characters

Click to Save Answer & Move to Next Question

Question # 13 of 15 (Start time: 11:14:59 PM, 01 February 2023)

Total Marks: 1

There are ----- types of user interfaces.

Select the correct option

- ☐ four
- ☐ One
- ☒ two
- ☐ three

Question # 12 of 15 (Start time: 11:14:35 PM, 01 February 2023)

Total Marks: 1

General reasoning for horizontal or vertical partitioning is -----

Select the correct option

Reload Math Equations

- ☐ Increasing the consistency
- ☐ Increase data communication
- ☒ Smaller tables are more efficient to process as compared to the larger tables.
- ☐ Decreasing the query response time

Click to Save Answer & Move to Next Question

Consider a table named "emp" having fields Empname, EmpID, Age, salary.
Which of the following is true if the following SQL statement tries to execute?

```
SELECT *  
FROM emp  
WHERE Empname="ALI"  
ORDERBY Age;
```

Select the correct option

- ☐ The statement displays the entire fields from emp in which the Empname is ALI in any order
- ☒ The statement displays the entire fields from emp in which the Empname is ALI in ascending order of their age
- ☐ The statement displays the entire fields from emp in which the Empname is ALI in descending order of their age
- ☐ The statement has a syntax error

Question # 10 of 15 (Start time: 11:12:59 PM, 01 February 2023) Total Marks: 1

DML stands for _____

Select the correct option

- ☐ Data Management Language
- ☒ Data Manipulation Language
- ☐ Domain Modeling Language
- ☐ Dynamic Modeling Language

What happens if the WHERE clause is omitted from a DELETE statement?

Select the correct option

- ☐ First record of the table will be deleted
- ☐ No record from the table will be deleted
- ☐ The statement will not be executed and will give a syntax error
- ☒ All records from the table are deleted

MC210402003: TOOBA FATIMA

CS403 - Database Management Systems (Quiz No. 3)

Time Left 21 sec(s)

Quiz Start Time: 11:03 PM, 01 February 2023

Question # 8 of 15 (Start time: 11:10:56 PM, 01 February 2023) Total Marks: 1

In which of the following situation clustering is more suitable _____

Select the correct option

- ☐ Access of data is not frequent
- ☒ Relatively static situations
- ☐ Where efficiency does not matter
- ☐ Relatively dynamic situations

Reload Math Equations

Menu vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 2 of 15 (Start time: 11:22:30 PM, 01 February 2023) Total Marks: 1

Which of the following is the correct syntax for creating a database table?

Select the correct option

Reload Math Equations

☐ CREATE MYSQL TABLE name;

☒ CREATE TABLE Name;

☐ TABLE name CREATE;

☐ CREATE TABLE;

Click to Save Answer & Move to Next Question

Search

Menu vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 7 of 15 (Start time: 11:10:08 PM, 01 February 2023) Total Marks: 1

A relation is said to be in BCNF when

Select the correct option

☐ it has overlapping composite keys

☒ it has no composite keys

☐ it has no overlapping composite keys which have related attributes

☐ it has no multivalued dependencies

Menu  vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 3 of 15 (Start time: 11:04:52 PM, 01 February 2023) Total Marks: 1

DML does not used to :

Select the correct option

- ☐ modify the rows of tables
- ☒ alter a table definition
- ☐ add new rows to tables
- ☐ retrieve rows from table

Search:  15:00 ENG 11:05 PM

Menu  vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 2 of 15 (Start time: 11:04:14 PM, 01 February 2023) Total Marks: 1

A function that has no partial functional dependencies is in _____.

Select the correct option

- ☐ 1NF
- ☐ 3NF
- ☒ 2NF
- ☐ BCNF

 Reload Math Equations

 Click to Save Answer & Move to Next Question

Search:  15:00 ENG 11:04 PM

Menu  vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 1 of 15 (Start time: 11:03:26 PM, 01 February 2023) Total Marks: 1

Programs written to perform different requirement created by the users/organization are called-----

Select the correct option

- ☐ low level program
- ☒ Application program
- ☐ Chip program
- ☐ System Program

Search: vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 11 of 15 (Start time: 11:36:18 PM, 04 February 2023) Total Marks: 1

Which of the following wildcard placeholder, allows matching any string of any length including zero length?

Select the correct option

- ☐ #
- ☐ @
- ☒ %
- ☐ -

Reload Math Equations

Click to Save Answer & Move to Next Question

Question # 10 of 15 (Start time: 11:35:08 PM, 04 February 2023) Total Marks: 1

Which of the following commands is used to create a database table and its structure?

Select the correct option

[Reload Math Equations](#)

☐ DCL

☐ DML

☐ DQL

☒ DDL

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 15 (Start time: 11:33:39 PM, 04 February 2023) Total Marks: 1

Which of the following is NOT related to CREATE TABLE command?

Select the correct option

[Reload Math Equations](#)

☐ Constraints

☒ Records

☐ Attributes

☐ Data types

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 15 (Start time: 11:33:17 PM, 04 February 2023) Total Marks: 1

INSERT INTO statement is used to enter values into_____.

Select the correct option

☐ Only particular column

☐ Not null columns only

☒ All columns

☐ Key value columns only

Click to Save Answer & Move to Next Question

Question # 7 of 15 (Start time: 11:31:50 PM, 04 February 2023) Total Marks: 1

Which of the following is NOT a type of integer data type in SQL?

Select the correct option

☐ Smallint

☐ Smallint

☐ Int

☒ Smallerint

Click to Save Answer & Move to Next Question

Question # 6 of 15 (Start time: 11:30:36 PM, 04 February 2023) Total Marks: 1

SQL SELECT statement is used to select _____ and _____ from database table.

Select the correct option

☐ Rows, Structure

☐ Rows, constraints

☐ Columns, structure

☒ Rows, columns

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 15 (Start time: 11:29:43 PM, 04 February 2023) Total Marks: 1

The _____ function helps to reduce the use of multiple OR conditions.

Select the correct option

☐ NOT

☒ IN

☐ GROUP

☐ AND

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 15 (Start time: 11:29:23 PM, 04 February 2023) Total Marks: 1

_____ is a DML command.

Select the correct option

☐ ALTER

☐ CREATE

☐ DROP

☒ SELECT

Click to Save Answer & Move to Next Question

Question # 3 of 15 (Start time: 11:27:51 PM, 04 February 2023) Total Marks: 1

_____ is not a DML command.

Select the correct option

☐ INSERT

☐ SELECT

☐ UPDATE

☒ CREATE

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 09:04:27 AM, 07 July 2023)

Total Marks: 1

Replication is the form of _____.

Select the correct option

Reload Math Equations

- ☐ Relational calculus
- ☒ Denormalization
- ☐ Partitioning
- ☐ Normalization

Normalization is a process of restructuring a relation to

Select the correct option

- ☐ maximize duplication of data to ensure reliability
- ☐ allow addition of data
- ☒ minimize duplication of data in a database
- ☐ make it of uniform size

Question # 8 of 10 (Start time: 09:13:22 AM, 07 July 2023) Total Marks: 1

When a functional dependency exists, the attributes or set of attributes on the left side of the arrow are known as _____.

Select the correct option

☒ Determinant

☐ Anomalies

☐ Dependant

☐ Schema

Reload Math Equations

Question # 7 of 10 (Start time: 09:11:45 AM, 07 July 2023) Total Marks: 1

Which of the following is NOT related to data manipulation language?

Select the correct option

☐ Retrieval of information

☐ Insertion of information

☒ Control access to the information

☐ Modification to the information

Reload Math Equations

Click to Save Answer & Move to Next Question

Which of the following is one of the purposes of using DDL commands?

Select the correct option

- ☒ creating and destroying databases
- ☐ updating records into databases
- ☐ manipulating databases
- ☐ inserting records into databases

Question # 5 of 10 (Start time: 09:09:19 AM, 07 July 2023) Total Marks: 1

Which of the following is NOT related to partitioning and placement in database?

Select the correct option

- ☐ Balance workload
- ☐ Reduce workload
- ☐ Speed up the rate of useful work
- ☒ Speed up data transmission

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 09:08:00 AM, 07 July 2023) Total Marks: 1

In which of the following situation clustering is more suitable

Select the correct option

☐ Where efficiency does not matter

☐ Access of data is not frequent

☐ Relatively dynamic situations

☒ Relatively static situations

Reload Math Equations

If $A \rightarrow B$ and $A \rightarrow C$, then $A \rightarrow BC$
The Inference Rule applies is:

Select the correct option

☐ Reflexivity

☒ Augmentation

☐ Union

☐ Decomposition

Question # 10 of 10 (Start time: 11:27:52 PM, 05 July 2023) Total Marks: 1

Which of the following is NOT related to CREATE TABLE command?

Select the correct option

☐ Data types

☐ Attributes

☒ Records

☐ Constraints

Reload Math Equations

Question # 10 of 10 (Start time: 11:27:52 PM, 05 July 2023) Total Marks: 1

Which of the following is NOT related to CREATE TABLE command?

Select the correct option

☐ Data types

☐ Attributes

☒ Records

☐ Constraints

Reload Math Equations

Question # 9 of 10 (Start time: 11:26:17 PM, 05 July 2023) Total Marks: 1

A transitive dependency occurs when _____

Select the correct option

☒ Non-key attribute is dependent on another non-key attribute

☐ Part of the key is dependent on key attribute

☐ Primary key attribute is dependent on non-key attribute

☐ Non-key attribute is not dependent on another non-key attribute

Question # 8 of 10 (Start time: 11:25:13 PM, 05 July 2023) Total Marks: 1

Which of the following is NOT related to the basic SELECT statement?

Select the correct option

☐ FROM

☐ SELECT

☐ WHERE

☒ NOT NULL

Question # 7 of 10 (Start time: 11:23:57 PM, 05 July 2023) Total Marks: 1

_____ in SQL table is used to uniquely identify individual rows of a given table.

Select the correct option

Reload Math Equations

- ☒ Primary key column
- ☐ Foreign key column
- ☐ NOT NULL constraints
- ☐ Secondary key column

Question # 6 of 10 (Start time: 11:22:11 PM, 05 July 2023) Total Marks: 1

WHERE clause is use with SELECT statement to display _____ in the output.

Select the correct option

Reload Math Equations

- ☐ All record in specific format
- ☐ Columns with where clause
- ☐ All update records
- ☒ Records which fulfill the condition

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 11:20:47 PM, 05 July 2023) Total Marks: 1

Which of the following is the correct syntax for inserting some values into the employee table?

Select the correct option

☐ INSERT into employee (col1, col2, col3), (val1, val2, val3)

☒ INSERT into employee (col1, col2, col3) VALUES (val1, val2, val3)

☐ INSERT into employee COLUMN (col1, col2, col3) VALUES (val1, val2, val3)

☐ INSERT into (col1, col2, col3) VALUES (val1, val2, val3)

Question # 4 of 10 (Start time: 11:20:08 PM, 05 July 2023) Total Marks: 1

_____ SQL statement is used to enter values into columns.

Select the correct option

☐ PUT INTO

☐ ENTER INTO

☒ INSERT INTO

☐ INSERT TO

Click to Save Answer & Move to Next Question

With the help of _____ technique data values with the smaller sized codes can further reduce the space needed by the data for storage in the database.

Select the correct option

- ☐ Extension
- ☒ Compression
- ☐ Expansions
- ☐ Negation

Question # 9 of 10 (Start time: 10:56:04 PM, 05 July 2023) Total Marks: 1

Denormalization is required to enhance _____

Select the correct option

- ☐ Data communication
- ☐ Sharing of data
- ☐ Data transmission
- ☒ Performance

Reload Math Equations

Question # 3 of 10 (Start time: 11:18:51 PM, 05 July 2023) Total Marks: 1

Which of the following is NOT a type of integer data type in SQL?

Select the correct option

☒ Smallerint

☐ Smallint

☐ int

☐ Smallint

Reload Math Equations

Normalization is a process of restructuring a relation to

Select the correct option

☐ allow addition of data

☒ minimize duplication of data in a database

☐ make it of uniform size

☐ maximize duplication of data to ensure reliability

Question # 7 of 10 (Start time: 10:53:05 PM, 05 July 2023) Total Marks: 1

The optional items in the SQL commands are kept in _____

Select the correct option

☐ a. NULL

☐ b. NULL

☐ c. NULL

☒ d. NULL

Given the following relation it is not 3 NF because
Student (roll no, name, course no, course max. marks, year of study, address), where roll no is PK

Select the correct option

☐ a. it has more than 3 non-key attributes

☐ b. it is not in 2 NF

☐ c. it does not have composite key

☒ d. non-key attributes course no and course max. marks are functionally dependent

Learning4Help By Waqas Qureshi 03421713143

In _____ the domains of attributes of a relation are atomic, that is they consist of single units that cannot be broken down further.

Select the correct option

- ☐ Augmentation
- ☒ First normal form
- ☐ Second normal form
- ☐ Third normal form

Question # 2 of 10 (Start time: 11:17:32 PM, 05 July 2023) Total Marks: 1

A table is in third normal form if it is in second normal form and there is no _____

Select the correct option

- ☐ Consistency
- ☐ Partial dependency
- ☒ Transitive dependency
- ☐ Full functional dependency

Reload Math Equations

Question # 3 of 10 (Start time: 10:48:20 PM, 05 July 2023) Total Marks: 1

A relational table is in third normal form (3NF) if it is already in 2NF and every non-key column is non-transitively dependent upon its _____

Select the correct option

☐ Super Key

☒ Primary Key

☐ Foreign Key

☐ Candidate Key

Reload Math Equations

Question # 1 of 10 (Start time: 11:15:42 PM, 05 July 2023) Total Marks: 1

INSERT INTO statement is used to enter values into _____

Select the correct option

☐ All columns

☐ Not null columns only

☐ Key value columns only

☒ Only particular column

Reload Math Equations

The process of normalization

Select the correct option

- ☐ is automatic using a computer program
- ☐ requires one to understand dependency between attributes
- ☐ is finding the key of a relation
- ☒ is manual and requires semantic information

Question # 10 of 10 (Start time: 10:40:06 PM, 05 July 2023) Total Marks: 1

Which of the following is used to keep the input values for a specific attribute in specific limits in comparison to any other attribute of the same or any other relation?

Select the correct option

- ☐ Default Value
- ☐ Range Control
- ☐ Null Value Control
- ☒ Referential Integrity

Reload Math Equations

Question # 9 of 10 (Start time: 10:39:21 PM, 05 July 2023) Total Marks: 1

Denormalization process is applied for developing a physical data model from.....

Select the correct option

☐ A semantic data model

☒ A logical data model

☐ An object oriented data model

☐ A conceptual form

Question # 8 of 10 (Start time: 10:37:49 PM, 05 July 2023) Total Marks: 1

The maximum length for an identifier can be

Select the correct option

☐ 128 characters

☐ 512 characters

☐ 192 characters

☒ 255 characters

After moving the determined columns from the original table to the new table while converting to 2NF, the determinate becomes the _____ of the new table

Select the correct option

- ☐ Secondary key
- ☒ Primary key
- ☐ Composite key
- ☐ Foreign key

Data type "BLOB" in database management system stands for _____

Select the correct option

- ☐ Bipolar large object
- ☐ Binary long objective
- ☐ Binary large objective
- ☒ Binary large Object

Question # 5 of 10 (Start time: 10:34:45 PM, 05 July 2023) Total Marks: 1

The following is an example of _____ inference rule.
If $std \rightarrow prName$ and $prName \rightarrow credits$ then $std \rightarrow credits$

Select the correct option

- ☒ Transitivity
- ☐ Augmentation
- ☐ Additive
- ☐ Projectivity

Question # 4 of 10 (Start time: 10:33:07 PM, 05 July 2023) Total Marks: 1

Which of the following is NOT the purpose of SQL?

Select the correct option

- ☐ Write information
- ☒ Transmission of information
- ☐ Read information
- ☐ Remove information

Reload Math Equations

Question # 3 of 10 (Start time: 10:31:57 PM, 05 July 2023) Total Marks: 1

At which design level de-normalization will take place?

Select the correct option

☐ Logical design

☐ All of the given

☒ Physical design

☐ Conceptual design

Reload Math Equations

Question # 2 of 10 (Start time: 10:30:52 PM, 05 July 2023) Total Marks: 1

A database state where deletion of the information about the student record deletes the course information as well is called _____

Select the correct option

☐ Insertion anomaly

☒ Deletion anomaly

☐ Redundancy

☐ Updation anomaly

Question # 1 of 10 (Start time: 10:29:02 PM, 05 July 2023)

Total Marks:

_____ is state of database where a "course" cannot be inserted in the table, because this course has not been registered to any "student".

Select the correct option

☒ Insertion anomaly

☐ Deletion anomaly

☐ Redundancy

Question # 10 of 10 (Start time: 07:55:45 PM, 05 July 2023)

Total Marks:

Which of the following is NOT related to partitioning and placement in database?

Select the correct option

[Reload Math Equations](#)

☒ Speed up data transmission

☐ Balance workload

☐ Speed up the rate of useful work

☐ Reduce workload

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 07:54:26 PM, 05 July 2023) Total Marks: 1

Which of the following is associated with a specific attribute and can help us to reduce the chances of inserting incorrect values in the attribute space?

Select the correct option

☐ Range Control

☐ Referential Integrity

☐ Null Value Control

☒ Default Value

Click to Save Answer & Move to Next Question

Reload Math Equations

Question # 9 of 10 (Start time: 07:54:26 PM, 05 July 2023) Total Marks: 1

Which of the following is associated with a specific attribute and can help us to reduce the chances of inserting incorrect values in the attribute space?

Select the correct option

☐ Range Control

☐ Referential Integrity

☐ Null Value Control

☒ Default Value

Reload Math Equations

Question # 8 of 10 (Start time: 07:53:32 PM, 05 July 2023) Total Marks: 1

Identify the language which is used to specify database schema.

Select the correct option

☐ TCL

☐ DML

☐ DCL

☒ DDL

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 07:52:41 PM, 05 July 2023) Total Marks: 1

When a functional dependency exists, the attributes or set of attributes on the left side of the arrow are known as _____


Select the correct option

☐ Schema

☐ Dependant

☒ Determinant

☐ Anomalies



Question # 5 of 10 (Start time: 07:49:50 PM, 05 July 2023) Total Marks: 1

In Denormalization two relations who have relationship are merged into one relation.

Select the correct option

☐ Many to one

☐ One to many

☐ One to one

☒ Many to many

Reload Math Equations

Question # 4 of 10 (Start time: 07:47:54 PM, 05 July 2023) Total Marks: 1

Denormalization process is applied for developing a physical data model from.....

Select the correct option

☒ A logical data model

☐ A conceptual form

☐ A semantic data model

☐ An object oriented data model

Reload Math Equations

While converting to 2NF all the columns are deleted from the original table except for the determinant which will serve as a _____ key.

Select the correct option

- ☐ Composite Key
- ☐ Primary key
- ☐ Super key
- ☒ Foreign key

Question # 2 of 10 (Start time: 07:44:43 PM, 05 July 2023) Total Marks: 1

Which of the following is a correct syntax of selecting all the columns from a table called PERSONS?

Select the correct option

- ☐ SELECT FROM * Persons
- ☐ SELECT * WHERE Persons
- ☒ SELECT * FROM Persons
- ☐ SELECT WHERE * Persons

Reload Math Equations

Question # 2 of 10 (Start time: 07:44:43 PM, 05 July 2023) Total Marks: 1

Which of the following is a correct syntax of selecting all the columns from a table called PERSONS?

Select the correct option

☐ SELECT FROM * Persons

☐ SELECT * WHERE Persons

☒ SELECT * FROM Persons

☐ SELECT WHERE * Persons

CS403 - Database Management Systems (Quiz No. 3) Quiz Start Time: 07:43 PM, 05 July 2023

Question # 1 of 10 (Start time: 07:43:15 PM, 05 July 2023) Total Marks: 1

In which normal form, we convert composite attributes into individual attributes?

Select the correct option

☒ 1NF

☐ 4NF

☐ 2NF

☐ 3NF

Menu 88 vulms.vu.edu.pk/Quiz/QuizQuestion.aspx 50+ Best Computer... How to Crack Your... 15 Brilliant Comma... How to Bypass Face... HAMMER OF THOR... Sign in - Google Ac... Inbox - bc1704035... Success is not the k...

Question # 2 of 15 (Start time: 11:26:38 PM, 04 February 2023) Total Marks: 1

Which of the following is the correct syntax for inserting some values into the employee table?

Select the correct option [Reload Math Equations](#)

- ☐ INSERT into employee (col1, col2, col3), (val1, val2, val3)
- ☐ INSERT into employee (col1, col2, col3) VALUES (val1, val2, val3)
- ☒ INSERT into (col1, col2, col3) VALUES (val1, val2, val3)
- ☐ INSERT into employee COLUMN (col1, col2, col3) VALUES (val1, val2, val3)

[Click to Save Answer & Move to Next Question](#)

Search 15... ENG 11:27 PM