

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET, ANDROID, PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp: 03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the symbol is used to represent a decision in a flow chart ?

Answer (Please select your correct option)



correct



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

In Flow Chart, flow of control is represented by _____.

Answer (Please select your correct option)

☐ Rectangle

☐ Circle

☐ Diamond

☐ Arrow

correct

MADE BY HADI

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

There can be _____ 'default' statement(s) in any switch structure .

Answer (Please select your correct option)

☐ 1

☐ 2

correct

☐ 3

☐ n

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

The condition in loop should be a(n) _____.

Answer (Please select your correct option)

☐ Constant Expression

☐ Boolean Expression

☐ Primary Expression

☐ Arithmetic Expression

correct

MADE BY HADI

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

How many nested loops would be required to manipulate n-dimensional array?

Answer (Please select your correct option)

- ☐ n
- ☐ n + 1
- ☐ n - 1
- ☐ 2n

correct

MADE BY HADI

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following is not an example of int data type?

A Good Education is a Foundation For a Better Future

Answer (Please select your correct option)

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

☐ 0

☐ -32

☐ 65531

☐ -4.0

correct

MADE BY HADI

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

We should use _____ for clarity and to force the order of evaluation in an expression.

Answer (Please select your correct option)

☐ Brackets []

☐ parenthesis ()

correct

☐ curly braces {}

☐ quotation marks " "

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following is the starting index of an array in C++?

Answer (Please select your correct option)

0

☐

correct

1

☐

-1

☐

2

☐

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

The statement $x += y$ can be interpreted as _____.

Answer (Please select your correct option)

☐ Adding the value of the x to the value of the y and storing the result in x

correct

☐ Adding the value of the y to the value of the x, store the result in y

☐ Adding the value of the x to the value of the x, store the result in x

☐ Adding the value of the y to the value of the y, store the result in x

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

Given a 2D array of integers, what would be the correct way of assigning the value 5 to the element at second row and third column ?

Answer (Please select your correct option)

☐ `m[2][3] = 5 ;`

correct

☐ `m[3][2] = 5 ;`

☐ `m[1][2] = 5 ;`

☐ `m[2][3] = '5' ;`

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

Array is a data structure that stores _____.

Answer (Please select your correct option)

☐ Memory addresses

☐ Variables

correct

☐ Data type

☐ Data

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

A program statement that invokes a function is called _____.

Answer (Please select your correct option)

☐ function declaration

☒ function call

correct

☐ function definition

☐ function prototype

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)



If a function has been declared but not defined before its function call then it is termed as _____.

Answer (Please select your correct option)

☐ logical error

☐ syntax error

☐ run time error

☐ program time error

MADE BY HADI

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

The Compiler of C language is written in-----language.

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

Answer (Please select your correct option)

JAVA

☐

BASIC

☐

FORTRON

☐

C

☒

correct

MADE BY HADI

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

To convert the value of one type into another type using built-in functions, we include _____ header file.

Answer (Please select your correct option)

☐ conio.h

☐ stdlib.h

☐ iostream.h

☐ string.h

correct

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the below functions is not included in ctype.h header file?

Answer (Please select your correct option)

☐ isdigit(int c)

☐ isxdigit(int c)

☐ tolower(int c)

☐ getdigit(int c)

MADE BY HADI

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Which function is used to locate the first occurrence of a character in any string ?

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

Answer (Please select your correct option)

☐ strchr()

☐ strstr()

☐ strtok()

☐ strlen()

correct

MADE BY HADI

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

The function write() takes _____ as parameter(s).

Answer (Please select your correct option)

- ☐ String of pointer type
- ☐ String of variable lengths, no. of bytes to be read and flags
- ☐ Pointer array of characters and a delimiter
- ☐ String and no. of bytes to be written

correct

MADE BY HADI

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

_____ is the pointer which determines the position in a file from where the next read operation occurs.

CHECK BOOK

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922

Answer (Please select your correct option)

☐ put

☐ seek

☐ get

☐ tell

MADE BY HADI

Question No : 20 of 26

Marks: 1 (Budgeted Time 1 Min)

Given a two dimensional array of integers, what would be the correct way of assigning the value 6 to the element at third row and fourth column?

Answer (Please select your correct option)

☐ array[2][3]=6;

☐ array[3][4]=6;

correct

☐ array[2][4]=6;

☐ array[4][3]=6;

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 21 of 26

Marks: 2 (Budgeted Time 4 Min)

Write the syntax for calling a string manipulation function which compares the first 5 characters of an array "name" with the string "asdf".

Answer (Please [click here to Add Answer](#))

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 22 of 26

Marks: 2 (Budgeted Time 4 Min)

What will be the value of x after the execution of the following code segment?

```
int x=10;  
int y=30;  
int *xptr = &x;  
x = *xptr + 10;
```

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Question No : 23 of 26

Marks: 3 (Budgeted Time 6 Min)

Assume that you write a program to read the data from a text file. You have two options to do it, either reading the data character by character or reading multiple lines of data at a time. Which option do you think is more better and Why ?

Answer (Please [click here to Add Answer](#))

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 24 of 26

Marks: 3 (Budgeted Time 6 Min)

Consider that an integer pointer `xptr` contains the memory address `0x22ff50`. Now if the statement `xptr +=4;` is executed, how many bytes the pointer `xptr` will jump in the memory and what will be the new address of the `xptr`?

Answer (Please [click here to Add Answer](#))



MADE BY HADI

Question No : 25 of 26

Marks: 5 (Budgeted Time 10 Min)

Write a program which takes a string from the user and searches it within another string "This is my Pakistan".

For example, if the user enters the string "my" then after search, the program should display the message "String found" otherwise it should display the message "string not found".

Answer (Please [click here to Add Answer](#))

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Question No : 26 of 26

Marks: 5 (Budgeted Time 10 Min)

Detect and correct compile time error(s) in the following code.

Hints: The following code print numbers from 1 to 100.

```
void main()  
{
```

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Question No : 26 of 26

Marks: 5 (Budgeted Time 10 Min)

```
int counter;  
float *ptr;  
  
for (counter = 1; counter <= 100; counter++)  
{  
    ptr = counter;  
}
```

Answer (Please [click here to Add Answer](#))

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922

MADE BY HADI

Question No : 26 of 26

Marks: 5 (Budgeted Time 10 Min)

```
cout << ptr << " ";  
  
getch();  
return 0;  
}
```

Answer ([Please click here to Add Answer](#))



MADE BY HADI

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP, ANDROID, PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

- 1) ASSIGNMENTS
- 2) QUIZZES
- 3) GDB
- 4) GRAND QUIZZES

We Provide, You Solution
of VU Academic Activities
include Assignments,
Quizzes, GDBs, Grand Quizzes
If You Need Help in Services
Kindly inform us.

TEAM HADI
(VU LAHORE)



TEAM HADI
(VU LAHORE)



HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922