

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET, ANDROID, PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp: 03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

The form of the exact solution to

$$2\frac{dy}{dx} + 3y = e^{-x}, y(0) = 5$$

is

Answer (Please select your correct option)

☐ $Ae^{-1.5x} + Bxe^{-x}$

☐ $Ae^{1.5x} + Be^{-x}$

☐ $Ae^{1.5x} + Bxe^{-x}$

☒ $Ae^{-1.5x} + Be^{-x}$



correct answer solve
by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

The Period of oscillator in the solution $X=50\sin(20t+8.5)$ is

Answer (Please select your correct option)

- ☐ 0.17643
- ☐ 0.32045
- ☐ 0.31400
- ☐ 0.58000

Start Time 6:56 AM

58:00 Time Left

2

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

paper.aspx Local intranet 100%

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

The Period of oscillator in the solution $X=50\sin(20t+8.5)$ is

Answer (Please select your correct option)

☐ 0.17643

☐ 0.32045

☐ 0.31400

☐ 0.58000

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)


A problem of the differential equation associated with a single value of the unknown function at a given point in the domain of the solution is known as -----

Answer (Please select your correct option)

☐ Boundary Value Problem

☐ Initial Value Problem

☐ None of these



correct answer solve
by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahor)


Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

The equation $\frac{dy}{dx} = \frac{x(x+1)}{y(y-1)}$ is a/an -----

Answer (Please select your correct option)

☐ partial differential equation.



correct answer solve
by hadi

☐ ordinary differential equation.

☐ polynomial equation.

☐ transcendental equation.

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

If $f(x,y)=0$, then $\frac{dy}{dx} = \dots$

Answer (Please select your correct option)

- ☐ $-\frac{f_x}{f_y}$
- ☐ $-\frac{f_y}{f_x}$
- ☐ $\frac{f_x}{f_y}$
- ☐ $\frac{f_y}{f_x}$

Start Time 6:56 AM

58:00 Time Left

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

For $y^2(1-x^2) - \cos^2 x = c$ with $y(0) = 3$, the value of c is-----


Answer (Please select your correct option)

9

☐

8

☒



correct answer solve
by hadi

10

☐

5

☐

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)


Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

The differential equation $(3x^2y + 2) dx + (x^3 + y) dy = 0$ is -----

Answer (Please select your correct option)

- ☐ Exact
- ☐ Non-exact
- ☐ Separable
- ☐ Homogenous



correct answer solve
by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

For a 1st order linear differential equation $\frac{dy}{dt} - \frac{1}{t}y = 2t$; the continuous function, $q(t)$, is.....

Answer (Please select your correct option)

☐ $2t$



☐ $-\frac{1}{t}$

☐ $\frac{1}{t}$

☐ t

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

For a 1st order linear differential equation $\frac{dy}{dx}(x + 2y^2) = y$; The continuous function, $q(y)$, is---

Answer (Please select your correct option)

☐ x^2

☒ $2y$ ← correct answer solve by hadi

☐ $2y^2$

☐ $-2y$

Start Time 6:56 AM

57:00 Time Left

9

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

paper.aspx

Question No : 10 of 25

Marks: 1 (Budgeted Time 1 Min)

A differential equation $\frac{dy}{dx} + p(x)y = q(x)y^n$ for $n \neq 0, 1$ is called a/an ----.

Answer (Please select your correct option)

☐ Non-Exact differential equation

☐ Linear differential equation

☒ Bernoulli equation

☐ Exact differential equation



correct answer solve
by hadi

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 11 of 25

Marks: 1 (Budgeted Time 1 Min)

The constant solutions of the logistic equation $\frac{dP}{dt} = P(a - bP)$ are-----


Answer (Please select your correct option)

☐ P=0, P= b/a

☐ P=0, P=a/b

☐ P=a/b, P=b/a

☐ P=0, P=0



correct answer solve
by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 12 of 25

Marks: 1 (Budgeted Time 1 Min)

The logistic equation $\frac{dP}{dt} = P(a - bP)$ is a/an-----

Answer (Please select your correct option)

☐ Linear differential equation

☒ Non-linear differential equation



correct answer solve
by hadi

☐ Homogenous differential equation

☐ Exact differential equation

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 13 of 25

Marks: 1 (Budgeted Time 1 Min)

Wronskian of $\sin x, \cos x$ is----

Answer (Please select your correct option)

☐ $\sin x$

☐ 1

☒ -1



correct answer solve
by hadi

☐ $\cos x$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

What is annihilator operator of the function $\frac{dy}{dx} + 4y = e^{2x}$?

Answer (Please select your correct option)

- ☐ $(D+4)(D-2)$
- ☐ $(D-2)$
- ☐ $(D+2)$
- ☐ $D(D^2-2)$

Start Time 6:36 AM

57:00 Time Left

14

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 15 of 25

Marks: 1 (Budgeted Time 1 Min)

What is the annihilator operator of the function $g(x) = \cos 2x$?

Answer (Please select your correct option)

☐ $(D - 4)$

☐ $(D + 4)$

☐ $(D^2 + 4)$

☐ $(D^3 - 4)$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 16 of 25

Marks: 1 (Budgeted Time 1 Min)

The differential equation of the orthogonal trajectory to the family of curves $y = cx$ is-----.

Answer (Please select your correct option)

☐ $\frac{dy}{dx} = -\frac{x}{y}$

☐ $\frac{dy}{dx} = \frac{x}{y}$

☐ $\frac{dy}{dx} = -\frac{y}{x}$

☐ $\frac{dy}{dx} = \frac{y}{x}$



correct answer is
by hadi

MADE BY HADI

Question No : 17 of 25

Marks: 1 (Budgeted Time 1 Min)

The orthogonal trajectory to the family of curves $3x + 4y = c$ is-----

Answer (Please select your correct option)


☐ $y = 2x$

☐ $y - x = c$

☐ $4x - 3y = c$

☐ $4x + 3y = c$

correct answer solve
by hadi



MADE BY HADI

Question No : 18 of 25

Marks: 1 (Budgeted Time 1 Min)

In the population growth model, the solution of the differential equation is given by


Answer (Please select your correct option)

☐ $A(t) = ke^{kt}$

☒ $A(t) = A_0 e^{kt}$

☐ $A(t) = A_0 / 2$

☐ $A(t) = ke^{4t}$



correct answer solve
by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

If $y_2 = x^3$ is the second solution of $x^2 \frac{d^2 y}{dx^2} - x \frac{dy}{dx} - 3y = 0$, then which of the following is the most accurate option?

Answer (Please select your correct option)

- ☐ The first solution say y_1 must be non-trivial on the indicated interval.
- ☐ The first solution say y_1 can be trivial on the indicated interval.
- ☐ The first solution say y_1 must be discontinuous on the indicated interval.
- ☐ The first solution say y_1 may or may not be continuous on the indicated interval.

correct answer solve by hadi

Start Time 6:36 AM

57:00 Time Left

19

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)


Question No : 20 of 25

Marks: 1 (Budgeted Time 1 Min)

If the complementary solution of $\frac{d^2y}{dx^2} - \frac{dy}{dx} - 2y = 3\sin x$ is $c_1 e^{-x} + c_2 e^{2x}$, then which of the following is the most accurate option for it?

Answer (Please select your correct option)

- ☐ The general form of the particular solution will be $(A \sin x + B \cos x) e^x$.
- ☐ The general form of the particular solution will be $Ax \sin x + Bx \cos x$.
- ☐ The general form of the particular solution will be $(Ax \sin x + Bx \cos x) e^{-x}$.
- ☐ The general form of the particular solution will be $A \sin x + B \cos x$.



correct answer solve
by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

If a mass weighing $20lb$ stretches a spring by $\frac{1}{2}ft$ then find k using the Hooke's Law.

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 6:56 AM

57:00 Time Left

21

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 21 of 25

Marks: 2 (Budgeted Time 4 Min)

If a mass weighing $20lb$ stretches a spring by $\frac{1}{2}ft$ then find k using the Hooke's Law.

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

Show that $y = x^2$ is a solution of the following differential equation:

$$x^2 \frac{d^2 y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$$

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 6:56 AM

57:00 Time Left

22

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 22 of 25

Marks: 2 (Budgeted Time 4 Min)

Show that $y = x^2$ is a solution of the following differential equation:

$$x^2 \frac{d^2 y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$$

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

What is Logistic equation, write it mathematically?

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 6:56 AM

57:00 Time Left

23

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 23 of 25

Marks: 3 (Budgeted Time 6 Min)

What is Logistic equation, write it mathematically?

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Write the following differential equation in the form $L(y) = g(x)$, where L is a linear differential operator with constant coefficients.

$$\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + 5y = 2\sin y$$

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 6:56 AM

57:00 Time Left

24

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 24 of 25

Marks: 3 (Budgeted Time 6 Min)

Write the following differential equation in the form $L(y) = g(x)$, where L is a linear differential operator with constant coefficients.

$$\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + 5y = 2 \sin y$$

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Find the wronskian of the Differential equation $y''' - 2y'' - 21y' - 18y = 3 + 4e^{-x}$ using variation of parameter and the root of the auxiliary equation is $m_1 = -3, m_2 = -1, m_3 = 6$?

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 6:56 AM

57:00 Time Left

25

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 25 of 25

Marks: 5 (Budgeted Time 10 Min)

Find the wronskian of the Differential equation $y''' - 2y'' - 21y' - 18y = 3 + 4e^{-x}$ using variation of parameter and the root of the auxiliary equation is $m_1 = -3, m_2 = -1, m_3 = 6$?

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Solve the boundary value problem $\frac{d^2y}{dx^2} + 25y = 0$ subject to the boundary conditions $y(0) = 0$, $y\left(\frac{\pi}{10}\right) = 0$

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 6:56 AM

57:00 Time Left

26

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 26 of 25

Marks: 5 (Budgeted Time 10 Min)

Solve the boundary value problem $\frac{d^2y}{dx^2} + 25y = 0$ subject to the boundary conditions $y(0) = 0$, $y\left(\frac{\pi}{10}\right) = 0$

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP, ANDROID, PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

- 1) ASSIGNMENTS
- 2) QUIZZES
- 3) GDB
- 4) GRAND QUIZZES

We Provide, You Solution
of VU Academic Activities
include Assignments,
Quizzes, GDBs, Grand Quizzes
If You Need Help in Services
Kindly inform us.

TEAM HADI
(VU LAHORE)



TEAM HADI
(VU LAHORE)



HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922